FermiMail



Brown Bag Seminar: Mac OSX Client Version
Rob Kennedy, Project Co-Manager
August 2011

Outline

- FermiMail What is it, who is affected?
- FermiMail Clients What is supported, what works?
- FermiMail Service Email, Calendar
- Email Data Migration How, when, end-user experience
- Calendar Data and Other Migrations What is involved
- Getting Information, Help Website, Seminars, Booth, Service Desk
- FAQ and Nomenclature

FermiMail Service Features and Functions **SERVICE**

FermiMail

- Consolidated, Integrated, Reliable Email and Calendar Service
 - For all Fermilab-supported Desktop OS's

Benefits

- Integrated e-mail, calendar, and address book functionality
- Works with e-mail and webmail programs on Windows, Mac OS X, and Linux
- High availability (> 99.9% up-time)
- 24 x 7 x 365 support
- Improved anti-virus/anti-spam protection
- Users able to retrieve deleted e-mail themselves within 30 days of deletion
- Conference room scheduling with direct booking and scheduling capability
- Platform capable of future expansion: IM/presence, voice-mail integration,
- Who/what is impacted... and who/what is NOT impacted
 - All Email users: Exchange 2007, IMAP Servers, Lotus Notes email
 - Calendar users on Meeting Maker, Lotus Notes calendar
 - NOT impacted: Lotus Notes applications and documents remain as is.
 - NOT impacted: Listserv remains as is

FermiMail Clients

- Clients <u>Supported</u> for FermiMail by CD Desktop Support
 - Outlook 2010: WindowsOutlook 2011: Mac OS X
 - Apple/Mac Mail: Mac OS X
 - Calendar integration via iCal
 - WebMail: IE 8 on Windows
 WebMail: Safari 3.5 on Mac OS X
 - <u>Lab-owned Phones</u> Blackberry via BES, other models via ActiveSync
- Clients <u>Tested</u> for FermiMail by FermiMail Team, Known to Work
 - Thunderbird: Linux SLF; Mac OS X
 - No calendar integration out of the box due to IMAP protocol used. E-mail only.
 - WebMail: Firefox 3+ on Linux SLF
 - WebMail provides email-calendar integration for Linux users.
 - Older Versions: may have caveats Outlook 2007, ...
- Other Clients/Devices... many should work.
 - Personal Phones, Other Email Clients: Basic config parameters are posted.
 - Does your model/service/client support "Exchange", "ActiveSync", or "IMAP"?
 - Service Desk can help at the level of stepping through the config parameters needed.
 - All email clients NOT mentioned above are in this category. Example: pine.
 - Some clients becoming unsupported: Entourage 2008 is replaced by Outlook 2011.

Email-Related Policies

- Email Accounts Policy (<u>LINK</u>) who gets account, how email works
- MX Records Policy (<u>LINK</u>) how email servers operate in FNAL.GOV.
- Impact on FermiMail: (Email Accounts policy as viewed May 25, 2011)
 - All Employees, Contractors, and Visitors can get a mailbox (as it is now).
 - "Fermilab will provide an email service for all employees, certain visitors and contractors, and retirees by request."
 - "Each employee will be provided with an email account. Fermilab employees must use name@fnal.gov as their work-related email address."
 - "... For convenience, a visitor or contractor may request an email address of name@fnal.gov be created and forwarded to their home institution. ... the visitor or contractor can, with justification, request delivery to a Fermilab mailbox."
 - Employees Send/Receive Work-Related Email through FermiMail
 - "Employees must send and receive work-related email (including all email using the name@fnal.gov address) through the designated email servers."
 - Operative word: THROUGH.
 - The "designated servers" will be the FermiMail server.
 - Related to recent MX Records clean-up necessary to avoid per-MX Record service costs.

FermiMail Service[^]

- Service Description:
 - Mailbox Space Quotas
 - Employees: 1 GB and 2 GB tiers. (a few tiers go higher. Only 103 of 2778: > 2 GB usage)
 - Visitors: 128 MB fixed tier. (2293 of 2945, 78% of Visitors forward email off-site)
 - Transition to FermiMail: Grandfathering for Space
 - Initial tier assignment will be based on current usage
 - Small impact overall considering how few large-space users there are.
 - No Central Email Archive Feature (as it is now)
 - No tape backup for email. No "undelete" possible by email administrators.
 - Users will be able to retrieve deleted e-mail themselves within 30 days of deletion
 - Some Email features unavailable: unsupported, specific to legacy email systems
 - "+" addressing (<u>username+SomeAddedText@fnal.gov</u>) will no longer be supported.
- Other "Transition to FermiMail" Issues
 - Multiple email names: Some users have a long and a short name (historical)
 - One name will be the mailbox name, and the other(s) will be a mail alias. (as it is now)
 - Exceptions: to help smooth transition, may be requested from CIO.

Calendar Service

Service Description:

- Integral part of FermiMail service
 - Anyone with a FermiMail email mailbox also has calendaring service.
- Calendaring-specific clients are no longer required.
 - Full Featured WebMail Calendaring in FermiMail (in addition to Outlook-like clients)
 - Web browser clients are available across Fermilab-supported Desktop OS's.
 - Meeting room availability can be viewed and reservations made (if user has permission) via numerous FermiMail clients, across Fermilab-supported Desktop OS's.
- Modern calendaring features supported
 - Calendaring built specifically to handle "resource scheduling" (eg. Meeting rooms)
 - May be applicable to other resources requiring "shared" scheduling
 - Side-by-side calendars view to look for common availability
- Local procedure to export calendars to web for "world-read" access.
 - Permit everyone, not just FermiMail users, to see calendar, if desired.
- Calendaring Integration
 - Integration Saves Time and Effort
 - Eliminates error-prone task to copy/paste to/from email and calendars.

Getting to FermiMail from current mix of email and calendar services

MIGRATION

Email Data Migration

• Email Data Migration: General Procedure

- One block of users treated per week with 1-week notice by email and letter, plus reminders.
- Overnight email data migration from old to new server on set "migration days".
 - User email delivery delay during this overnight migration. Nothing lost.
- User comes up next day with new email account receiving email
 - Client configuration changes required in some cases (see later slide)
- Users do not have to be at Fermilab or even internet-connected on their migration day.

What email will... and what email won't... be migrated by FermiMail Team

- Only email server resident data will be migrated.
- Locally stored email will NOT be migrated.
 - Most "local mail" is just cache... no need to migrate. Example: Outlook OST files, Thunderbird cache
 - Some users intentionally store mail locally though in PST files, which will NOT be migrated by team.
- Local client features (such as filters) will NOT be migrated.
- Sieve/Server-based filters will NOT be migrated.

End-User Preparation:

- Please watch for email and letter that should arrive 1 to 2 weeks before your migration day.
 - Official notification when their specific email account will be migrated to FermiMail with instructions.
 - We will also send reminders a few days before your migration day, by email only.
- Check the FermiMail web site for: pointers, migration progress, updated schedule, etc.

Tentative Migration Schedule^

- Schedule: will be maintained on http://computing.fnal.gov/FermiMail
- Step 1: Route <u>all</u> incoming/outgoing Fermilab email through new AV/AS service **DONE: Aug 2**
 - New AV/AS service: cloud-based, 24x7x365 support, much improved quality.
 - Applies to all Fermilab email: inbound, outbound, and email forwarding through fnal.gov
- Step 2: Exchange 2007 Users: mid-September mid-October 2011
 - ~1000 users now. Basically an upgrade. Performed across all D/S/C/E.
 - From email.fnal.gov (to email.fnal.gov)
- IMAP Server Users: mid-October late December 2011
 - ~2025 users. Schedule will be driven by actual IMAP migration rate, in the order shown.
 - From imapserver1, imapserver2, and imapserver3 .fnal.gov (to email.fnal.gov)

Proposed IMAP Migration Timeline by D/S/C (2011)

* = very few IMAP users in this D/S/C to be migrated

- Oct: CD
- Nov: FESS*; then BSS, DIR, ESH*, FIN*, WDRS; then TD; PPD; then CMSC*, FCPA*
- Dec: AD, APC*, Visitors, "Hard Cases" (some may spill into Jan 2012)
- Lotus Notes Users: 2 weeks in early November 2011
 - ~150 email users. Schedule close to IMAP migration for BSS, FIN, DIR
 - From bssmail.fnal.gov (to email.fnal.gov)
- Forward-Only Users: T.B.D. Probably will be at end of the migrations.
 - Only noticeable change will be in the procedure to edit your forward setting.

End-User Migration Experience

Migration Day Notes

- You may experience an off-hours delay in e-mail delivery as your email data is copied.
- Please test your FermiMail account as soon as possible. Report issues to the Service Desk.
- Exchange/Outlook Users: After migration, just restart your client.
- WebMail Users: After migration, and refresh your web browser/page.

IMAP Servers (and Exchange 2007/IMAP Protocol) Users:

- Thunderbird, some Mac Mail users, a few Outlook users. How to tell is on FermiMail web site.
- Client re-configuration is required for IMAP-based email clients <u>after</u> migration.
- "Do it yourself" client configuration is supported with web-based instructions, if you prefer or
 if you are configuring a "personal device or other client".
- Feel free to request help via the Service Desk.

Lotus Notes Users:

- Your email AND contacts list will be migrated.
- A new client and client configuration is required for email and calendaring.
- See <u>FermiMail site</u> for parameters and pointers for new users of Outlook 2010.
- Feel free to request help via the Service Desk.

Personal Devices and Other Clients:

- If ActiveSync or "Exchange mode" being used, see "Exchange/Outlook Users" section above.
- If IMAP being used, see "IMAP ... Users" section above.

End-User Migration Suggestions

Consider Your Email Client

- IMAP client users: If possible, please consider switching to a native protocol client like Outlook or WebMail. Benefits: integrated email & calendar and improved performance.
- Lotus Notes users: you will no longer be able to use your notes client for email and calendaring. If you are on Windows, then we recommend use of Outlook 2010 after migration.
- Unsupported client users: please consider advantages of switching to a supported client, such as greater functionality, more opportunities for support, simpler future migrations.

When to Switch Client

- If you choose to switch clients, please do the switch <u>after migration</u>
 - Be sure FermiMail works with a familiar client first, to help isolate causes of any incidents.
 - Some FermiMail clients will not work well with the existing email systems.
 - Old Exchange 2007 WebMail lacks support for non-MS IE browsers.... Other client compatibility issues
 - FermiMail support team concentrating on migration and users just migrated.

Tip: Optional "Spring Cleaning"

- Clean-up/compact your mailbox, and archive old mail. NOT required for migration.
 - Some email clients: "compact folders" to free space occupied by deleted email.
- Please see the FermiMail web site for "archiving" suggestions... coming soon.

Calendar Data and Other Migrations^

- User Calendar Data (Meeting Maker, Lotus Notes)
 - User Calendar Data will not be migrated for users.
 - Cannot automatically migrate all calendar data from Meeting Maker to Exchange.
 - FermiMail team will post recommended procedure for users to archive and/or recreate their own calendar data in Exchange.
- Meeting Room Reservation Data (Meeting Maker, Lotus Notes)
 - FermiMail team will coordinate, but not perform, reservation data move.
 - Meeting Room reservation processes varies across D/S/C.
 - FermiMail team is developing migration procedures consistent with current known reservation processes, working with room owners.
 - FermiMail team will coordinate with room owners to establish a few "Flag Days" for reservation data moves, tentatively planned for Nov-Dec 2011 timeframe, to maintain a consistent reservation process for end-users.
 - Migration of reservation data will be performed by room owners.
- Lotus Notes IM
 - Lotus Notes users will be given accounts for Fermilab IM about when Lotus Notes email data is migrated to preserve their level of function integration.

Reference

SUPPORTING CONTENT

FermiMail Information, Help

- Information
 - Web Site: http://computing.fnal.gov/FermiMail
 - Includes an "Ask a Question" web form (information only)
 - Will be updated with migration progress, calendar migration info, FAQ.
 - Note: http://computing.fnal.gov/Email describes current email service, NOT FermiMail
 - Brown Bag Seminars: WH-1W, 12noon-1pm ~50% slides, ~50% demo,Q&A
 - Windows Focus: August 22
 - Mac OS X Focus: August 24
 - Linux SLF Focus: August 26
- * More dates being scheduled for Sep-Dec
- "Doctor Is In" Booth: WH Atrium, 11:30am 1:30pm
 - August 17-18

- * More dates being scheduled for Sep-Dec
- FermiMail Outreach talks like this
 - Fermilab Today article on 6/7/2011 provides a brief overview
- Getting Help
 - Service Desk: http://servicedesk.fnal.gov and x2345
 - "Doctor Is In" Booth



- What happens to our documents/applications in Lotus Notes? nothing.
 - Only the email and calendar functionality of Lotus Notes will be replaced by FermiMail.
 - Lotus applications and document storage will remain as is, as far as FermiMail is concerned.
 - Lotus client program will still work for applications, just not for email and calendaring.
 - Lotus applications that use email to notify users will still be able to send email, as it is now.
- When will BES be deployed? Current estimate: mid-November 2011
 - Requires migration of FESS users to Exchange 2010 first.
 - (Only FESS has arranged for BES service, a costed add-on feature.)
- I will not be at Fermilab due to vacation/leave/travel for my migration day. Help!
 - Users do not have to be present at Fermilab for their migration day. They do not even have to be in internetconnected with Fermilab on their migration day.
 - We ask that Fermilab email users try out their email service reasonably soon after their migration day, but that is not required. It is to help manage support workload.
- I have far more than x GB of email. Help!
 - We are grandfathering all current Fermilab email users into email storage tiers matched to their current usage.
 - While we suggest users clean/compact/archive their email, we are NOT requiring it.
- Can I migrate early? Can I migrate myself?
 - No. The migration team will perform the migration in order to manage a consistent transition for 3000+ users. There is no plan for an "overlap" period in which you will be able to move mail yourself from the old account to the new account.

Acronyms and Nomenclature

- ActiveSync More properly <u>Exchange ActiveSync</u>. "... provides push synchronization of contacts, calendars, tasks, and email between ActiveSyncenabled servers and devices." ActiveSync is commonly used with hand-held devices such as cellphones. Provides enterprise features like remote wipe.
- BES Blackberry Enterprise Server. This interacts with the Exchange 2010 Server on behalf of its Blackberry phone clients. This is a costed feature beyond the standard FermiMail service, available to D/S/C by arrangement.
- FermiMail: A high-availability integrated email, calendar, and contact service. It is being deployed in Summer 2011 by the Computing Division's Exchange Server 2010 Migration Project, referred to as the FermiMail team in this talk.
- IMAP An e-mail protocol. Using IMAP instead of MAPI does not allow email and calendar integration.
- MAPI Native "Exchange" API and protocol which handles e-mail, calendar, and address book commands. MAPI is commonly used with some email clients on desktop computers. Client configurations often call this the "Exchange" protocol.

Demonstation

CLIENTS AND CONFIGURATION

Aug 2011 FermiMail Demo Context

- FermiMail Production System not released for use yet
 - In final acceptance testing, looks good so far.

Demonstration Caveat

- Demonstration based on use of the pre-release production FermiMail system, which not be fully configured yet for general use.
- Hostnames, URLs in this demonstration are specific are to the prerelease state of the FermiMail system. Some hostnames will change with the final release.
- Auto-discovery (auto-reconfigure of Outlook and similar clients)
 cannot be demonstrated until production FermiMail is released.

Demonstration Emphasis

- Preview of FermiMail clients across Desktop OS's
- Walk-through Email or Webmail basics
 - Just quickly show the other's interface due to time constraints
- Client Configuration: general information, as posted

Demonstation

CLIENTS AND CONFIGURATION

Aug 2011 FermiMail Demo Context

- FermiMail Production System not released for use yet
 - In final acceptance testing, looks good so far.

Demonstration Caveat

- Demonstration based on use of the pre-release production FermiMail system, which not be fully configured yet for general use.
- Hostnames, URLs in this demonstration are specific are to the prerelease state of the FermiMail system. Some hostnames will change with the final release.
- Auto-discovery (auto-reconfigure of Outlook and similar clients)
 cannot be demonstrated until production FermiMail is released.

Demonstration Emphasis

- Preview of FermiMail clients across Desktop OS's
- Walk-through Email or Webmail basics
 - Just quickly show the other's interface due to time constraints
- Client Configuration: general information, as posted

Mac OSX: Outlook 2011

- Start-up/Login
 - Assuming client is already configured for FermiMail.
 - Most current Outlook 2010 users: just restart client, no explicit reconfiguration.
- Browse Email
- Create a Message
- Reply/Reply-all/Forward a Message
- Organize Messages into Folders
- Delete and Purge/Recover a Message
 - Purge/Recover are functions of the "undelete" buffer in FermiMail
- Set a Vacation Message

Mac OSX: Safari 3.5

- Start-up/Login
 - No configuration is required for WebMail
 - Demonstration in IE8 is equivalent to same in Firefox 3.x/4.x
- Browse Email
- Create a Message
- Reply/Reply-all/Forward a Message
- Organize Messages into Folders
- Delete and Purge/Recover a Message
 - Purge/Recover are functions of the "undelete" buffer in FermiMail
- Set a Vacation Message